

SAFETY SHOES





Safety Footwear

- We are specialized in production of quality Safety, Protective & Occupational Footwear
- We offer safety footwear that have 200J Impact resistant Toe caps, Anti-perforation Insoles and Mid-plates, water resistant Full Grain leather etc.

LEATHER

Real Leather with Breathability and vapor permeability involved in our process.

TOE CAP

Protective toe cap like steel, fiberglass, and composite involved in our process

SOLE

We offer a wide selection of soles like dual-density, slip resistance, anti-penetration, ESD/ Antistatic/ Conductive, Fire Retardant features.



SPECIFICATION – S1 – S1P – S3 SR – ESD

OUR FOOTWEAR CAN BE USED IN



Construction Sites



Manufacturing Units



Hospitals



Aviation & Railways



Shipyards & Ports



Electricity Boards
& Power Sector



Oil, Gas &
Mining Industry



Government
Institution



Chemicals &
Pharmaceuticals Industry


Certificates



Quality Standards



Testing Laboratories





Safety Footwear

#2025-01 S1P SR

Upper	BOVINE SUEDE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID 1100N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



2025-02 SB SR

Upper	BOVINE SUEDE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID 1100N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



2025-03 S1P SR

Upper	SPORTS FLYKNIT
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100 N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



Safety Footwear



2025-04 S3 SR

Upper	WATER REPELLENT FULL GRAIN PRINTED LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100 N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



#2025-05 S1P SR

Upper	BOVINE SUEDE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID 1100N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



2025-06 S3 SR

Upper	WATER REPELLENT FULL GRAIN PRINTED LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100 N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE





Safety Footwear

2025-07 S3 SR

Upper	WATER REPELLENT FULL GRAIN PRINTED LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100 N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



2025-08 S3 SR

Upper	WATER REPELLENT CRAZY HORSE LEATHER &
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID ANTI PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P, S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



2025-09 S1P SR

Upper	BOVINE SUEDE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID ANTI PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



Safety Footwear



2025-10 S1P SR

Upper CRAZY HORSE LEATHER / SPORT MESH
Lining 3D HIGHLY BREATHABLE SPACER
Toe Cap COMPOSITE 200J IMPACT RESISTANT
Mid-plate PARA-ARAMID 1100N PERFORATION
Sole RESISTANT DOUBLE DENSITY PU/PU
Standard EN ISO 20345:2022

Available Options

- S1 CATEGORY
- SINGLE DENSITY SOLE
- STEEL TOECAP
- STEEL MID-PLATE



2025-11 S1P SR

Upper BOVINE SUEDE LEATHER
Lining 3D HIGHLY BREATHABLE SPACER
Toe Cap COMPOSITE 200J IMPACT RESISTANT
Mid-plate PARA-ARAMID 1100N PERFORATION RESISTANT
Sole DOUBLE DENSITY PU/PU
Standard EN ISO 20345:2022

Available Options

- S1 CATEGORY
- SINGLE DENSITY SOLE
- STEEL TOECAP
- STEEL MID-PLATE



2025-12 S1P SR

Upper CRAZY HORSE LEATHER
Lining 3D HIGHLY BREATHABLE SPACER
Toe Cap STEEL 200J IMPACT RESISTANT
Mid-plate STEEL 1100 N PERFORATION RESISTANT
Sole DOUBLE DENSITY PU/PU
Standard EN ISO 20345:2022

Available Options

- S1 CATEGORY
- SINGLE DENSITY SOLE
- COMPOSITE TOECAP
- PARA-ARAMID ANTI-PERFORATION INSOLE





Safety Footwear

2025-13 S1P SR ESD

Upper	BOVINE SUEDE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100 N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



2025-14 S3 SR

Upper	WATER REPELLENT CRAZY HORSE LEATHER & BOVINE SUEDE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID ANTI PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P, S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



2025-15 S3 SR

Upper	WATER REPELLENT CRAZY HORSE LEATHER & BOVINE SUEDE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID ANTI PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P, S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



Safety Footwear



2025-16 S1P SR

Upper	BOVINE SUEDE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID 1100N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



2025-17 S3 SR

Upper	WATER REPELLENT FULL GRAIN PRINTED LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100 N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



2025-18 S3 SR

Upper	WATER REPELLENT CRAZY HORSE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID 1100N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE





Safety Footwear

2025-19 S3 SR



Upper	WATER REPELLENT FULL GRAIN PRINTED LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100 N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



2025-20 S3 SR

Upper	WATER REPELLENT CRAZY HORSE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID 1100N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



2025-21 S3 SR



Upper	WATER REPELLENT FULL GRAIN PRINTED LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100 N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



Safety Footwear



2025-22 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

Available Options

- S1, S1P, S2 CATEGORY
- SINGLE DENSITY SOLE
- COMPOSITE TOECAP
- PARA-ARAMID ANTI-PERFORATION INSOLE



2025-23 S3 SR

Upper **WATER REPELLENT CRAZY HORSE LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

Available Options

- S1, S1P & S2 CATEGORY
- SINGLE DENSITY SOLE
- COMPOSITE TOECAP
- PARA-ARAMID ANTI-PERFORATION INSOLE



2025-24 S3 SR

Upper **WATER REPELLENT FULL GRAIN HAIRCELL LEATHER**
 Lining **3D HIGHLY BREATHABLE SPACER**
 Toe Cap **STEEL 200J IMPACT RESISTANT**
 Mid-plate **STEEL 1100 N PERFORATION RESISTANT**
 Sole **DOUBLE DENSITY PU/PU**
 Standard **EN ISO 20345:2022**

Available Options

- S1, S1P & S2 CATEGORY
- SINGLE DENSITY SOLE
- COMPOSITE TOECAP
- PARA-ARAMID ANTI-PERFORATION INSOLE





Safety Footwear



2025-25 S3 SR

Upper	WATER REPELLENT FULL GRAIN PRINTED LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



2025-26 S3 SR

Upper	WATER REPELLENT CRAZY HORSE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	COMPOSITE 200J IMPACT RESISTANT
Mid-plate	PARA-ARAMID 1100N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - STEEL TOECAP
 - STEEL MID-PLATE



2025-27 S3 SR

Upper	WATER REPELLENT CRAZY HORSE LEATHER
Lining	3D HIGHLY BREATHABLE SPACER
Toe Cap	STEEL 200J IMPACT RESISTANT
Mid-plate	STEEL 1100 N PERFORATION RESISTANT
Sole	DOUBLE DENSITY PU/PU
Standard	EN ISO 20345:2022

- Available Options
- S1, S1P & S2 CATEGORY
 - SINGLE DENSITY SOLE
 - COMPOSITE TOECAP
 - PARA-ARAMID ANTI-PERFORATION INSOLE



Company Profile




In 1990, we launched our operations in Kanpur under the name SABA INTERNATIONAL, focusing on the production and marketing of finished leather for the domestic shoe industry. Within a short period, our company established a reputation as a reliable manufacturer and supplier of high-quality finished leather in the domestic market. As the years passed, our growth continued to accelerate.

In 2002, we expanded our capabilities by building a new tannery and began exporting our finished leather to the Far East under the name SABA EXPORTS. This strategic move not only broadened our market reach but also solidified our commitment to quality and innovation.

Recognizing the growing demand for specialized footwear, we later expanded our manufacturing to include safety shoes, catering to various industries worldwide. Our safety shoes are designed to meet international standards, ensuring durability and protection for workers in diverse environments. Today, we proudly serve clients across the globe, continually striving to enhance our product offerings and maintain our reputation as a trusted leader in the leather and footwear industry.

The company operates four dedicated LWG Gold rated Leather production tanneries, along with a specialized footwear factory focused on safety shoes and uppers, as well as a leather goods factory that manufactures a wide range of leather accessories. Our facilities are equipped with the latest advanced machinery from Italy and Germany, ensuring efficient and high-volume production.





SABA EXPORTS

A Govt. Recognized Manufacturing 3 Export House

-  PA/104/90-A(28-C), Sanjay Nagar,
Wajidpur, Jajmau, Kanpur - 208010,
-  India +91-9235443588
-  Info@groupsaba.com
-  www.groupsaba.com

Designed by : - DreamLABZ Technologies
(www.dreamlabz.com) +91-9839111545